Chief Secretary's Office, Adelaide, September 29th, 1890.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for gener information.

J. C. Brax, Chief Secretary.

Return of Births and Deaths registered in South Australia in the Month of August, 1885-1890.

Years	1385.	1886.	1887.	1888.	1889.	Average of Five	e								Total for			
*Population, Aug. 1	309,190	305,382	309,372	310,283	315,808	Years.									1890.			
Births	1,036	943	1,049	959	911	980	886									7,024		
Rate per cen'	•335	*308	*338	•309	•288	_					•2	76						
Deaths—							All Ages.	Under l year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest	Uncerti- fied causes of Death.	
All causes	274	245	266	339	248	274	320	70	33	34	41	48	67	26	1	36	12	2,716
Rate per cent	•088	-080	.085	•109	.079	-	-100	_	_		_	_		_	_	_	_	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional v. Developmental vi. Local vii. Violence vii. Violence and not specified	20 1 1 53 21 142 14	20 1 	17 ————————————————————————————————————	20 2 1 47 32 177 39	13 3 4 40 38 130 11		46 1 2 57 46 133 20	$ \begin{array}{c c} & 13 \\ \hline & 2 \\ & 5 \\ & 8 \\ & 25 \\ & 3 \end{array} $	17 - 5 - 10 1	11 - 9 - 12 2	$ \begin{array}{c} 2 \\ 1 \\ \hline -7 \\ 17 \\ \hline -15 \\ 6 \end{array} $	1 - 13 - 30 4	1 - 8 19 35 4	1 - - 19 6				
causes	22	15	14	21	9	-	15	14	-	-	-	,	-	-	1.	-	-	

^{*}The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), which at last census was 4,521, and also the aborigines, which at last census was 6,346.

Causes of Deaths registered in the Month of August, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I,			Other constitutional diseases		3	Accidents of childbirth	_	1
Measles	-	-	. V.	_		Diseases of locomotive sys-		,
Scarlet fever	-	-	Premature birth	7	-	tem	-	1
Relapsing fever	-		Cyanosis	1	_	Diseases of integumentary	0	
Influenza	-	1	Congenital defects,	-		system	2	
Whooping-cough	11	7	Old age	-	38	VII.		
Diphtheria	-	17	VI.			_ (Accident.)		
Simple and ill-defined fever	-		Apoplexy	1	11	Fracture and contusion	_	6
Enteric fever	-	-	Epilepsy	-	1	Gunshot wound	_	-
Simple cholera	-	-	Convulsions	3	-	Cut, stab	-	-
Diarrhœa, dysentery	2	1	Other diseases of brain and			Burn and scald	-	3
Remittent fever	-	-	nervous system	3	12	Poison	_	2 2
Venereal affections	-	3	Diseases of organs of special			Drowning	-	2
Erysipelas	-		sense	-	1	Suffocation	2	-
Pyæmia and septicæmia	-	1	Diseases of circulatory sys-			Otherwise	1	_
Puerperal fever	-	1	tem	2	22	(Homicide.)		
Other zymotic diseases	_	2	Croup	1	4	Murder and manslaughter	-	_
II.			Bronchitis	4	5	(Suicide.)		
Thrush	_		Pneumonia	6	13	Gunshot wound		-
Worms and other parasitical		}	Pleurisy	-	1	Cut, stab	-	1
diseases	-	1	Other diseases of respiratory			Poison	-	2
III.			system	1	7	Drowning	-	1
Privation-want of breast milk	2	_	Dentition	1	_	Hanging	-	-
Alcoholism	_	i	Quinsy, sore throat	_	_	Otherwise	-	
IV.			Enteritis	_	1	VIII.		
Rheumatic fever and rheuma-			Peritonitis		3	Dropsy	-	
tism of heart	_		Diseases of liver	_	6	Debility, atrophy, inanition	14	_
Rheumatism	-	1	Other diseases of digestive		1	Mortification	-	House
Gout	_	3	system	1	9	Tumor	_	1 -
Cancer, malignant disease	_	11	Diseases of lymphatic sys-	1		Abscess	_	_
Tabes mesenterica	1	11	tems and of ductless glands	_	2	Hæmorrhage		_
	3	5	Diseases of urinary system		8	Sudden, cause unascertained		_
Tubercular meningitis		25			0	Other ill-defined and not		
Phthisis	1		Diseases of generative sys-			specified causes		1
Scrofula tuberculosis	-	4	tem	-	-	precine causes	1	1

Return of Births and Deaths registered in City of Adelaide in the Month of August, 1885-90.

Years	1885.	1886.	1887.	1888.	1889.	Average of Five	1890.								Total for			
Population, Jan. 1st	43,969	45,333	42,904	43,527	43,750	Years.	44,581							1890.				
Births	104	87	94	122	115	104					1	13						749
Rate per cent	•237	•192	•219	•280	•263	_				7.3	•2	53)	П		
Deaths-							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest cases.	Uncerti- fied causes of death.	
All causes	70	58	69	78	70	69	74	11	10	6	9	15	18	5		6	1	639
Rate per cent	•159	·128	•160	•179	.160		•166							_				
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional v. Developmental vI. Local vII. Violence vIII. Ill-defined and not specified causes	5 	4 ————————————————————————————————————	3 -1 16 13 33 2	8 1 	4 1 1 12 9 39 4		8 — 16 14 29 7	2 - - 4 3 2	5 - 3 - 2			- 6 - 8 1	1 - - 7 9 1	3 2				

Causes of Deaths registered in the Month of August, 1890.

	1	Cau	ses of Deaths registered in the M	onen oj	my wor, 10			
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
Measles Scarlet fever Relapsing fever Influenza Whooping-cough Diphtheria Simple and ill-defined fever Enteric fever Simple cholera	1	3	Scrofula tuberculosis Other constitutional diseases V. Premature birth Cyanosis Congenital defects Old age VI.		3	Accidents of childbirth Diseases of locomotive system Diseases of integumentary system VII. (Accident.) Fracture and contusion Gunshot wound Cut, stab		- 1 - 2 2
Diarrhœa, dysentery Remittent fever Venereal affections Erysipelas Pyæmia and septicæmia Puerperal fever Other zymotic diseases	1	3	Apoplexy Epilepsy Convulsions Other diseases of brain and nervous system Diseases of organs of special sense	1	2 1 - 5	Burn and scald Poison Drowning Suffocation Otherwise (Homicide.) Murder and manslaughter		1 - - -
Thrush	_	_	Diseases of circulatory system Croup Bronchitis Pneumonia Pleurisy Other diseases of respiratory		1 4	(Suicide.) Gunshot wound Cut, stab Poison Drowning Hanging		11111
Privation—want of breast milk Alcoholism	=		system. Dentition Quinsy, sore throat Enteritis Peritonitis		1 - -	Otherwise	_	1 1
tism of heart Rheumatism Gout Cancer, malignant disease Tabes mesenterica Tubercular meningitis Phthisis		- - 4 - 2 7	Diseases of liver Other diseases of digestive system Diseases of lymphatic systems and of ductless glands Diseases of urinary system Diseases of generative system	1	4 - 2 -	Mortification Tumor Abscess Hæmorrhage Sudden, cause unascertained Other ill-defined and not specified causes		111111

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of August, 1890.

1868 sumbin off less sales as femines autor	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell,
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	44,581	8,096	8,718	9,177	9,320	4,018	5,252
Persons to an acre	12:3	14.1	13.2	16.6	13.0	8.4	8:1
Births Male Female	113 54 59	20 9 11	21 10 11	20 11 9	22 9 13	10 6 4	20 9 11
Deaths Male Female	58 34 24	17 11 6	14 8 6	8 3 5	11 6 5	2 1 1	6 5 1
CLASSES. 1. Specific Febrile or Zymotic Diseases 11. Parasitic Diseases 11. Dietic Diseases 11. Constitutional Diseases 12. Constitutional Diseases 13. V. Developmental Diseases 14. Local Diseases 15. Violence 16. VIII. Ill-defined and not specified causes	7 11 14 22 4	4 9 4	4 	1 1 2 2 2 2	1 3 1 6		1 1 3 1
Percentage of Deaths to population of each Ward	•130	•211	.161	.087	·118	.050	•114

Causes of Deaths registered in the Month of August, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		5	Accidents of childbirth		_
Measles	_	_	Scrofula tuberculosis	_	1	Diseases of locomotive system		
Scarlet fever			Other constitutional diseases.			Diseases of integumentary		
Relapsing fever						system		-
Influenza		_	V.					j
Whooping-cough	1	3	Premature birth	3				
Diphtheria	-		Cyanosis	1	*****	VII.		
Simple and ill-defined fever		_	Congenital defects			(Accident.)		
Enteric fever	_		Old age	-	10	Fracture and contusion		1
Simple cholera		-				Gunshot wound		-
Diarrhœa, dysentery	1	_	VI.			Cut, stab	-	
Remittent fever		_	Apoplexy	-	2	Burn and scald		1
Venereal affections	-	2	Epilepsy		-	Poison		
Erysipelas	-	-	Convulsions		_	Drowning	-	-
Pyæmia and septicæmia	-		Other diseases of brain and			Suffocation	2	-
Puerperal fever	-	-	nervous system	1	2	Otherwise	-	
Other zymotic diseases		1	Diseases of organs of special			(Homicide.)		
			sense		1	Murder and manslaughter		
II.			Diseases of circulatory system	-	3	(Suicide.)		
Thrush	-	-	Croup	-		Gunshot wound		-
Worms and other parasitical			Bronchitis	_	1	Cut, stab	-	
diseases	-		Pneumonia	1	4	Poison	-	_
			Pleurisy			Drowning		
III.			Other diseases of respiratory			Hanging		-
Privation — Want of breast	1		system	-	1	Otherwise		
milk	-		Dentition	-	-	77177		
Alcoholism	-	-	Quinsy, sore throat		_	VIII.		
			Enteritis	-	-	Dropsy		
IV.			Peritonitis			Debility, atrophy, inanition		r month)
Rheumatic fever and Theu-			Diseases of liver	_	3	Mortification		
matism of heart	-	_	Other diseases of digestive	-		Tumor		
Rheumatism	-	-	system	1	-	Abscess	Mark 141	-
Gout	-	_	Diseases of lymphatic systems			Hæmorrhage		
Cancer, malignant disease	_	3	and of ductless glands	_	_	Sudden, cause unascertained.		
Tabes mesenterica	-	_	Diseases of urinary system	-	2	Other ill-defined and not spe-		
Tubercular meningitis	-	2	Diseases of generative system	-		cified causes	_	-

AUGUST, 1890.

The highest temperature in the shade at the Adelaide Observatory during the month was 70°·2 on the 22nd; and the lowest, 36°·0, on the 10th. The mean temperature of the month was 52°·8.

The greatest range of the thermometer in one day, 23°·4, took place on the 25th, viz., from a maximum of 66°·1 to a minimum of 42°·7; the lowest range, 7°·3, on the 5th.

The mean height of the barometer was 29·905 inches; the maximum, 30·187 inches, occurred on the 20th; and the minimum, 29·349 inches, on the 27th.

Observatory, Adelaide, September 17th, 1890.

C. Todd, Observer.